

QT-690C /VR/VP/HR MiniDome




Incredible and useful capabilities like Vandal Proof, Varifocal Lens and High Resolution.


Get over your image details and features, under unstable or variable lighting conditions, even in zooming events.

ACCESORIES QT-690c

WALL MOUNT ACCESSORIES QT-200-WB



PENDANT MOUNT ACCESSORIES QT-200-PEB



TECHNICAL SPECIFICATIONS

• Image Sensor	1/3" Sony Super HAD CCD
• Signal System	PAL/NTSC
• Resolution	520TVL
• Effective Pixels	PAL:752(H)×582(V) NTSC:768(H)×494(V)
• Video Output	1.0Vp~p75Ω
• S/N Ratio	More than 48dB (AGC OFF)
• Sensivity	0.8Lux/F1.2
• BLC	Built In
• Sensing Area	4.9mmx3.7mm
• Lens	4~9mm F:1.6 Auto Iris
• Vandal Proof	IP66
• Electronic Shutter	1/50(1/60)~1/100,000sec
• White Balance	Auto Tracking White Balance
• Power Requirement	DC12V/AC24V
• Power Consumption	200mA
• Housing	Vandal-Proof Design
• Dimensions	150mmx134.5mm
• Warranty	36 Months